

INDEX MAPS.

T.30N. R.14E. 2nd Mer.

	85		85		85		85		84		84	
88	6	112	5	106	4	101	3	97	2	92	1	84
	112		112		105		101		96		92	
87	7	111	8	105	9	100	10	96	11	92	12	83
	110		111		105		100		95		91	
87	18	110	17	104	16	100	15	95	14	90	13	83
	109		109		104		99		95		90	
87	19	109	20	103	21	99	22	94	23	90	24	83
	108		108		103		98		94		90	
87	30	107	29	103	28	98	27	94	26	89	25	83
	107		107		102		97		93		89	
86	31	106	32	102	33	97	34	93	35	88	36	82
	82		82		81		81		81		81	

Meandering 113

T.31N. R.14E. 2nd Mer.

	156		157		157		157		156		156	
123	6	150	5	145	4	144	3	139	2	137	1	121
	150		150		144		144		139		136	
123	7	149	8	143	9	142	10	138	11	136	12	120
	149		149		143		142		138		136	
122	18	148	17	143	16	142	15	138	14	135	13	120
	148		148		141		141		137		135-125	
122	19	147	20	140	21	141	22	137	23	125	24	119
	147		147		140		140-129		127		125	
122	30	146	29	139	28	139	27	127	26	124	25	119
	146		146		130		129		128		124	
121	31	145	32	129	33	128	34	126	35	124	36	119
	118		118		117		117		117		117	

Meandering right bank 131
left bank 151

The figures on the lines refer to the page.

Township No 30 North Range No 14 East 2^d Mer. Ind. 81

South Boundary Mar. 5th 40, E.

West On South Boundary of Sec 36
 12.75 A Lynn 12 in. diam.
 40.00 Set a gp. Sec Post from which
 a Hickory 18 in. diam. bears S. 51 E. 43 links dist. &
 a Beech 16 " " " N. 34 W. 3 " "
 51.50 A Brook 10 links wide; Course S. E.
 55.25 A Hickory 18 in. diam.
 80.00 Set a Post Corner to Sections 35 & 36
 from which a
 Lynn 14 in. diam. bears S. 84 E. 36 links dist. &
 a Hickory 18 " " " S. 19 W. 24 " "
 Sand. & Pet. Timber. Beech, Oak,
 Ash. & 1/2, Undergrowth, Spice, & 1/2.

West On South Boundary of Sec 35
 40.00 Set a gp. Sec Post from which
 a Sugar 8 in. diam. bears S. 75 E. 26 links dist. &
 a Hickory 6 " " " N. 58 W. 16 " "
 68.50 An Ash 24 in. diam.
 80.00 Set Post Corner to Sec. 34 & 35 from which
 a Lynn 8 in. diam. bears N. 36 E. 13 links dist. &
 an Elm 10 " " " N. 45 W. 15 " "
 Sand & Timber as before.

West On South Boundary of Sec 34
 40.00 Set a gp. Sec Post from which
 a Hickory 18 in. diam. bears S. 65 E. 19 links dist. &
 a Beech 14 " " " S. 87 W. 44 " "
 61.25 A Cottonwood 20 in. diam.
 80.00 Set a Post Corner to Sec. 33 & 34 from which
 a Beech 12 in. diam. bears S. 75 W. 37 lks. dist. &
 a Hickory 16 " " " N. 84 W. 38 " "
 Sand & Timber as before

West On South Boundary of Sec 33

T 30 N. R. 14 E. Ind. Mer. Indiana,

- 30.80 A W. Oak 36 in. diam.
 40.00 Set a gr. Sec. Post from which
 a W. Oak 30 in. diam. bears N. 34 E. 11 links dis. &
 an Ironwood 6 in. " " S. 76 W. 10 " "
 07.40 A Beech 16 in. diam.
 80.00 Set a Post Corner to Sec. 32 + 33 from which
 an Oak 35 in. diam. bears S. 48 E. 18 links dis. &
 an Ash 9 " " " N. 59 W. 34 " "
 Land &c same as before

- West On South Boundary of Sec. 32
 16.12 A Beech 14 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Beech 20 in. diam. bears N. 48 E. 20 links dis. &
 an Ironwood 6 " " " S. 37 W. 12 " "
 80.00 Set a Post Corner to Sec. 31 + 32 from which
 an Oak 18 in. diam. bears S. 72 E. 5 links dis. &
 a Hickory 18 in. " " N. 45 W. 28 " "
 Land &c same as before

- West On South Boundary of Sec. 31
 40.00 Set a gr. Sec. Post from which
 a Syc. 12 in. diam. bears N. 57 E. 11 links dis. &
 an Oak 36 " " " N. 70 W. 33 " "
 87.00 Town Corner
 Land & Timber as before

- East Boundary Var. 4.° 05 E.
 North On East Boundary of Sec. 36
 30.50 A Syc. 20 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Beech 20 in. diam. bears S. 17 W. 36 links dis. &
 a Sugar 14 " " " N. 79 W. 15 " "
 80.00 Set a Post Corner to Sec. 25 + 36 from which
 a Sycamore 30 in. diam. bears S. 46 E. 14 links dis. &
 a Hickory 14 " " " N. 41 W. 31 " "

83

T. 30 N. R. 14 E. Ind. Mer. Indiana.

Land to, not described.

North On East Boundary of Sec 25
40.00 Set a gr. Sec Post from which
an Ash 8 in. diam. bears S 4 E 14 links dis. &
a Do 14 " " " N. 18 W. 16 " "
80.00 Set a Post Cor. to Sec. 24 + 25 from which
an Ash 8 in. diam. bears N 33 E 16 links dis. &
a Hickory 24 in. " " S 1 E 14 " "
Land not described.

North On East Boundary of Sec 24
40.00 Set a gr. Sec. Post from which
an Ash 18 in. diam. bears S 7 W 8 links dis. &
a Do 14 " " " N. 1 E 13 " "
80.00 Set a Post Cor. to Sec. 13 + 24 from which
a Hickory 10 in. diam. bears N. 28 W. 9 links dis. &
a Linn 20 " " " S. 41 E. 28 " "
Land not described.

North On East Boundary of Sec 13
27 75 An Oak 30 in. diam.
40.00 Set a gr. Sec Post from which
an Ash 10 in. diam. bears S. 70 E. 4 links dis. &
a Do 8 " " " N. 38 W. 7 " "
45.00 Entered Swamp E + W.
75.00 Dry Sand
80.00 Set a Post Corner to Sec. 12 + 13 from which
an Ash 10 in. diam. bears S. 25 W. 5 links dis. &
a Do 8 " " " N. 34 E. 13 " "
Land swampy.

North On East Boundary of Sec 13
40.00 Set a gr. Sec. Post from which
an Ash 4 in. diam. bears S 35 E 5 links dis. &
a Linn 13 " " " N. 37 W. 22 " "

T 30 N. R 14 E 2nd Mer. Indiana

80.00 Set Post Corner to Sec. 1 & 2 from which
 an Ash 4 in. diam. bears S. 11 E. 19 links dis. &
 an Elm 16 " " " N. 77 W. 22 " "
 Sand & Timber as before.

North On East Boundary of Sec 1

40.00 Set a gp. Sec Post from which
 an Elm 13 in. diam. bears S. 33 E. 26 links dis. &
 a Do 16 " " " N. 83 W. 18 " "

80.00 Set Post Corner to Towns 30 & 31 North
 Ranges 14 & 15 East. from which
 an Elm 22 in. diam. bears S. 31 E. 6 links dis. &
 a Hickory 13 " " " N. 50 W. 17 " "
 Sand & Timber as before

North Boundary var 5, 30 E

West On South Boundary of Sec 36 T 31 N R 14 E

21.00 An Elm 12 in. diam.

40.00 Set a gp. Sec Post from which
 an Elm 12 in. diam. bears N. 8 W. 11 links dis. &
 an Ash 24 " " " N. 4 E. 11 " "

58.67 An Elm 24 in. diam.

80.00 Set Post Corner to Sec. 35 & 36 from which
 an Elm — in. diam. bears S. 44 E. 8 links dis. &
 an Ash 8 " " " N. 64 E. 3 " "
 Over wet swampy Land. Timber, Ash
 Elm. &c. &c.

West On South Boundary of Sec 35 T 31 N R 14 E

31.50 A Hickory 24 in. diam.

40.00 Set a gp. Sec Post from which
 a Lynn 10 in. diam. bears N. 5 E. 15 links dis. &
 a Do 10 " " " S. 3 E. 21 " "

59.50 An Ash 12 " "

80.00 Set Post Corner to Sec. 34 & 35 from which
 a Beech 12 in. diam. bears North 5 links dis. &

T 30 N. R 14 E 3rd Mer. Indiana.

an Elm 24 in. diam. bears S 70 E 19 links dist.
Land &c, as before.

West On South Boundary of Sec 34 T 31 N R 14 E
21.76 A Hickory 12 in. diam.

40.00 Set a gp Sec Post. from which
a Walnut 40 in. diam. bears S 20 E 5 links dist. &
an Ironwood 8 " " " N. 9 W. 18 " "

70.00 A Brook 15 links wide. course N. E.

76.00 An Ash 30 in. diam.

80.00 Set Post Corner to Sec. 33 + 34 from which
a Sugar 24 in. diam. bears N. 45 E. 13 links dist. &
a Lumn 12 " " " S. 22 E. 23 " "
Land &c, as before

West On South Boundary of Sec 33. T 31 N R 14 E.

30.00 A Beech 12 in. diam.

40.00 Set a gp Sec Post from which
an Ash 24 in. diam. bears N. 23 W. 11 links dist. &
a Do 10 " " " S. 56 E. 30 " "

57.25 A Sugar 24 in. diam.

80.00 Set a Post Corner to Sec. 32 + 33 from which
an Ash 21 in. diam. bears S 21 W. 22 links dist. &
a Beech 10 " " " N. 15 W. 8 " "
Land & Timber as before

West On South Boundary of Sec 32 T 31 N R 14 E.

40.00 Set a gp Sec Post from which
an Elm 12 in. diam. bears N. 51 E. 13 links dist. &
an Ash 10 " " " S. 38 W. 11 " "

80.00 Set a Post Corner to Sec. 31 + 32 from which
an Ash 8 in. diam. bears N. 3 W. 4 links dist. &
an Oak 12 " " " S. 64 E. 21 " "

Land &c, as before

West On South Boundary of Sec 31 T 31 N R 14 E.

T 30 N R 14 E 2nd Mer. Indiana

- 20.00 Intersect the Miami River, and
 Set a Post, from which
 a W. Oak 18 in. diam. bears N 17 1/2 W 11 links dist. &
 a Maple 10 " " " S. 41 E. 17 " "
 March 17th 1820
- West Continued on South side of Sec 31
 Commencing at Post on the right Bank of the
 Maumee River. Var. 5° 00 E
- 24.37 Set a Post on the Left Bank of the Maumee
 River, Course N. E. from which
 a Hackberry 15 in. diam. bears N 22 E 11 links dist. &
 an Elm 8 " " " N. 55 W. 38 " "
- 33.80 A Sugar 30 " "
- 40.00 Set a gp. Sec Post from which
 an Ironwood 5 in. diam. bears N. 36 E. 48 links dist. &
 a Buckeye 6 " " " N. 46 W. 40 " "
- 51.91 A Beech 18 in. diam.
- 66.70 A W. Oak 24 " "
- 84.44 Intersect the Town Corner 8 links South of Post
 Land level + 2nd rate. Timber Sugar and
 Beech. Undergrowth Spice.

David Keith D.S.

- West Boundary Var 5° 00 E
- North On East Boundary of Sec 30 T 30 N R 13 E.
- 35.00 A Poplar 24 in. diam.
- 40.00 Set a gp. Sec Post from which
 a Hickory 12 in. diam. bears S. 71 W. 24 links dist. &
 an Elm 8 " " " S. 53 E. 6 " "
- 65.63 An Ash 24 in. diam.
- 80.00 Set a Post Corner to Sec. 25 + 36 from which
 a Hickory 12 in. diam. bears N 45 E 13 links dist. &
 a Beech 12 " " " N. 17 W. 19 " "
 Land rich. Timber, Beech. Sugar. Ash.
 &c. Undergrowth Spice, &c.

T 30 N. R 14 E 2nd Mer. Indiana. ⁸⁷

North On East Boundary of Sec 25 T 30 N R 13 E
 32.69 A Sugar 12 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Beech 18 in. diam. bears N. 16 E. 10 links dist. &
 a Dogwood 8 in. " " S. 32 E. 18 " "
 80.00 Set a Post Corner to Sec. 24 & 25 from which
 a Red Oak 36 in. diam. bears S. 5 E. 26 links dist. &
 an Ash 10 " " " N. 13 W. 16 " "
 Land & Timber as before
 March 16th 1820

North On East Boundary of Sec 24 T 30 N. R 13 E.
 26.60 A Beech 24 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Hickory 18 in. diam. bears S. 42 W. 14 links dist. &
 a Beech 18 " " " S. 47 E. 19 " "
 70.10 A Beech 18 " "
 80.00 Set a Post Corner to Sec. 13 & 24 from which
 a Beech 12 in. diam. bears S. 11 E. 29 links dist. &
 a Do 6 " " " S. 66 E. 6 " "
 Land & Timber same as before

North On East Boundary of Sec 13. T. 30 N. R. 13 E.
 27.00 A Brook 15 links wide. Course N. W
 33.30 A Beech 12 in. diam.
 40.00 Set a gr. Sec. Post. from which
 a Maple 18 in. diam. bears S. 30 W. 15 links dist. &
 a Beech 10 " " " N. 72 E. 11 " "
 55.80 A Beech 12 " diam.
 80.00 Set a Post Corner to Sec. 12 & 13 from which
 an Elm 30 in. diam. bears S. 10 E. 17 links dist. &
 a Sugar 10 " " " N. 10 W. 25 " "
 Land & Timber as before.

North On East Boundary of Sec 12 T 30 N R 13 E
 14.10 A Sugar 30 in. diam.

T 30 S R 14 E 2nd Mer. Indiana.

- 40.00 Set a gp. Sec. Post from which
an Ironwood 8 in. diam. bears S 53 E 13 lks. dist. &
a Sugar 8 " " " S. 29 W. 7 " "
- 46.00 A Creek 25 links wide; Course, N. W.
- 59.08 A Beech 12 in. diam.
- 80.00 Set a Post Corner to Sec. 1 & 2 from which
a Beech 10 in. diam. bears S 87 E 11 links dist. &
a Po 10 " " " S. 48 W. 13 " "
Land & Timber as before

- North On East Boundary of Sec 1 T 30 S R 13 E.
- 25.40 A Sugar 24 in. diam.
- 40.00 Set a gp. Sec Post from which
a Beech 30 in. diam. bears N 86 W. 11 links dist. &
a Sugar 10 " " " N. 34 E. 11 " "
- 60.60 Intersect Maumee & set post from which
an Elm 12 in. diam. bears S 41 W. 11 links dist. &
a Hickory 10 " " " N. 23 E. 5 " "
Surveyed by

- North Continued on East side. of Sec 1 T 30 S R 14 E.
- 65.14 Over the River & set Post on the Left Bank
from which
a Burr Oak 30 in. diam. bears S 26 W. 13 lks. dist. &
a Sugar 24 " " " N. 41 W. 19 " "
- 70.34 A Beech 12 in. diam.
- 81.60 Intersect Town line at Post, Corner of
Towns 30 & 31 North Ranges 13 & 14 East.
from which
a Hickory 14 in. diam. bears N 63 E. 25 lks. dist. &
a B. Ash 6 " " " N. 50 W. 12 " "
Land & not described.

David Keith's Co. S.

Subdivisions
North Between Sec. 35 & 36

T 30 N. R 14 E 2nd Mer. Indiana, ⁸⁹

- 22.14 A Beech 20 in! diam.
 40.00 Set a gp Sec. Post from which
 a Sugar 10 in! diam. bears N. 89 E. 31 links dist &
 an Ironwood 5 in! diam. " S. 85 W. 12 " "
 60.10 A W. Oak 24 " "
 64.50 A River 75 links wide, Course N. E.
 80.00 Set a Post Corner to Sec. 25. 26 35 + 36 from which
 a Beech 15 in! diam. bears S. 47 E. 36 links dist &
 a Do 12 " " " N. 61 W. 35 " "
 Land 2nd rate. Timber, Hickory, Sugar, Beech
 Linn. W. R. + Burr Oak., Buckeye, Walnut,
 Blue Ash, &c. Undergrowth Spice, Ash, &c.

- East On Random between Sec. 25 + 36
 28.00 Fh. Sepance Road. Course E by S.
 40.00 Set Temporary gp Sec. Post.
 60.00 Same Road E by S.
 75.00 Same Road E by S.
 79.89 Intersect E. Boundary 50 links North of Post.
 Land + Timber same as before.

- West Corrected between Sec. 25 + 36
 39.95 Set a gp Sec. Post at aver. dist from which
 a Beech 24 in! diam. bears N. 10 E. 20 links dist &
 an Ironwood 8 " " " S. 19 W. 25 " "
 79.89 To Sec. corner

- North Between Sec. 25 + 26
 19.50 Came to a Swamp Prairie
 37.50 Left the same
 40.00 Set a gp Sec Post from which
 a Linn 14 in! diam. bears S. 5 W. 14 links dist &
 a W. Ash 5 in! " " N. 43 E. 14 " "
 63.50 A Linn 18 in! diam.
 80.00 Set a Post Corner to Sec. 25. 26. 35 + 36
 from which

T 30 N. R 14 E 2nd Mer. Indiana

a B Ash 10 in. diam. bears S 88 E 41 links dist. 58
 an Elm 24 " " " N. 31 W. 17 " "
 Land 2nd rate. Timber same as before

East On Random between Sec. 24 + 25
 8. 00 Fort Defiance Road. E by S.
 40. 00 Set temporary gp. Sec Post.
 79. 33 Intersect the E. Boundary 75 links S. of Post
 Land flat + met. Timber, Beech, Elm
 Hickory. &c. &c.

West Corrected between Sec. 24 + 25
 39. 60 Set a gp. Sec Post at aver dist. from which
 a S. Oak 30 in. diam. bears N. 34 W. 31 links dist.
 a Red Oak 24 in. " " S. 25 E. 41 " "
 79. 33 To Sec. corner

North Between Sec. 23 + 24
 9. 00 Fort Defiance Road E by S.
 20. 00 A Beech 20 in. diam.
 40. 00 Set a gp. Sec Post, from which
 a Sugar 12 in. diam. bears N. 51 E. 10 links dist. 58
 an Ironwood 5 in. " " S. 57 W. 7 " "
 71. 50 A Sugar 15 in. diam.
 80. 00 Set a Post Corner to Sec. 13. 14. 23 + 24
 from which an
 Elm 18 in. diam. bears N. 88 E. 34 links dist. 8
 a Q. 15 " " " S. 58 W. 26 " "
 Land + Timber same as last mile.

East On Random between Sec. 13 + 24
 40. 00 Set temporary gp. Sec Post.
 79. 00 Intersect the East Boundary 150 links
 North of the Post.
 Land + Timber same as before

91

T 30 N. R 14 E 2nd Mer. Indiana

West Connected between Sec. 13 + 24

- 39.50 Set a gp Sec Post at aver. dist from which
 a Beech 16 in. diam. bears N. 55 E. 23 links dist &
 a Hickory 24 " " " S. 23 W. 12 " "
- 79.00 To Sec. Corner

May 5th 1822

North Between Sec. 13 + 14

- 28.41 A Cottonwood 24 in. diam.
 40.00 Set a gp Sec Post from which
 a Sugar 10 in. diam. bears S. 1 W. dist &
 a Co 5 " " " N. 78 W. 11 " "
- 54.50 An Ash 10 in. diam.
 75.50 Enter Swamp
 80.00 Set a Post Corner to Sec. 11. 12. 13 + 14 from which
 a Willow 4 in. diam. bears N. 87 E. 15 links dist &
 an Aspin 5 in. " " N. 44 W. 20 " "
 Land level + Mr. Timber. Ash. Hickory
 Cottonwood Elm, Spruce, &c. Undergrowth
 Spice &c &c.

East On Random between Sec. 12 + 13

- 40.00 Set temporary gp Sec Post
 53.00 Left the Swamp
 79.50 Intersect the East Boundary 1.26 links North
 of the Post
 Very bad swamp Willow Thicket.
 Timber East of the Swamp. same as last
 mile.

West Connected between Sec. 12 + 13

- 39.75 Set a gp Sec Post at aver. dist from which
 an Aspin 3 in. diam. bears N. 83 E 30 links dist
 No other tree
- 79.50 To Section Corner

North Between Sec. 11 + 12
 25.00 Left the Swamp
 26.58 A Beech 15 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Hickory 16 in. diam. bears S. 86 E. 52 links dis.
 a Sycamore — " " " — 60 W 2 " "
 57.70 An Ash 16 in. diam.
 80.00 Set a Post Corner to Sec. 1. 2. 11 + 12 from which
 an Ash 18 in. diam. bears N. 29 E. 26 links dis.
 a Syc 16 " " " S. 59 W. 34 " "
 Sand level & under water. Timber
 same as last mile.

East On Random between Sec. 1 + 12
 21.06 An Ash 20 in. diam.
 40.00 Set Temporary gr. Sec. Post
 60.83 An Ash 16 in. diam.
 79.83 Intersect the East Boundary 4 links South
 of the Post.
 Land & Timber same as before

West Corrected between Sec. 1 + 12
 19.00 An Ash 16 in. diam.
 39.91 Set a gr. Sec. Post at aver. dist. from which
 a Hickory 6 in. diam. bears N. 13 E. 14 links dis.
 an Elm 10 " " " S. 21 E. 21 " "
 58.77 An Ash 20 in. diam.
 79.83 To the corner

North Between Sec. 1 + 2
 19.10 An Ash 18 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Hickory 16 in. diam. bears S. 75 W. 16 links dis. &
 an Ash 6 " " " N. 42 E. 14 " "
 63.55 A Red Oak 20 in. diam.
 76.50 Intersect the North Boundary 114 links West.

T 30 N. R 14 E Ind. Mer. Indiana, 93

of the Post. Set Post Corner to Sec. 1 & 2
from which a
Lynn 6 in. diam. bears S 52 W 22 links dist. &
an Elm 10 " " " S 22 E 26 " "
Timber, some Oak & Hickory. otherwise same
as before. Land principally under water
May 6th 1822

North Between Sec. 34 & 35

28.30 A Hickory 20 in. diam.

40.00 Set a q. Sec Post from which
a Lynn 24 in. diam. bears N 88 E 34 links dist. &
a Beech 8 " " " S 71 W 24 " "

45.00 To Crooked Run 5.50 links wide Course S. E.

85.05 A Lynn 24 in. diam.

80.00 Set a Post Corner to Sec. 26. 27 34 & 35 from which
a Hickory 20 in. diam. bears S 88 E 53 links dist. &
a Do 16 " " " N 72 W 39 " "
some dry Land on the Run. bad level &
wet. Timber. Hickory. Lynn. Beech.
Ash. Sugar. Elm. Oak, &c. Undergrowth
Spice &c. &c.

East On Random between Sec. 26 & 35

17.00 An Ash 16 in. diam.

40.00 Set temporary q. Sec Post

56.00 A Run 100 links wide. Course S. E.

63.10 A Beech 18 in. diam.

80.55 Intersect the N & S line 23 links North of Post,
Land good & rate. Timber same as last.

West Connected between Sec. 26 & 35

16.78 A Beech 12 in. diam.

40.28 Set a q. Sec Post at area dist. from which
a Hickory 18 in. diam. bears S 8 W 10 links dist. &
an Elm 20 " " " N 32 E 31 " "

64.53 An Elm 15 in. diam.
80.56 So Sec. corner.

North Between Sec. 26 + 27

20.50 An Elm 30 in. diam.

40.00 Set a gr. Sec. Post from which
a Maple 10 in. diam. bears S. 83 E. 16 links dist. &
an Ash 16 " " " N. 73 W. 16 " "

40.50 Enter Swamp

46.00 Left the same

57.88 An Ash 18 in. diam.

80.00 Set a Post Corner to Sec. 22, 23, 26 + 27 from which
a Sugar 16 in. diam. bears S. 84 W. 18 links dist. &
a Do 18 " " " S. 62 E. 28 " "
Land + Timber same as before

East On Random between Sec. 23 + 26

19.35 An Elm 20 in. diam.

40.00 Set Temporary gr. Sec. Post

59.40 An Elm 18 in. diam.

81.15 Intersect the N + S line 13 links S. of Post.
Land + Timber same as before.

West Corrected between Sec. 23 + 26

21.63 A Linn 10 in. diam.

40.57 Set a gr. Sec. Post at arer. dist. from which
a Hickory 18 in. diam. bears N. 35 W. 24 links dist. &
an Ash 8 " " " S. 54 E. 9 " "

81.15 So Sec. corner

North Between Sec. 22 + 23

20.45 A Burr Oak 50 in. diam.

40.00 Set a gr. Sec. Post from which
a Birch 20 in. diam. bears S. 75 E. 28 links dist. &
a Hickory 10 " " " S. 78 W. 3 " "

60.60 An Elm 30 in. diam.

T 30. N R 14 E Twp. 95
Indiana.

95

64.00 Crossed a Road from Defiance to Ft. Wayne.
80.00 Set a Post Corner to Sec. 14, 15, 22, & 23 from which
an Elm 8 in. diam. bears N. 62 E. 10 links dist. &
a Blk. Ash 7 in. " " S. 54 W. 15 " "
Land wet and Timber same as last mile

East On Random between Sec. 14 & 23

23.44 A W. Oak 20 in. diam.

40.00 Set Temporary q. Sec Post

50.54 A Beech 18 in. diam.

80.05 Intersect the N + S line 23 links South of Post

West Corrected between Sec. 14 & 23

18.78 A Red Oak 24 in. diam.

40.03 Set a q. Sec. Post at aver. dist. from which
a Sugar 8 in. diam. bears S. 7 E. 14 links dist. &
a Beech 15 " " " N. 7 W. 15 " "

55.30 A Linn 24 in. diam.

80.05 To Sec. Corner.

Land under water. Timber same as last.

May 7th 1822

North Between Sec. 14 & 15

21.22 A Hickory 15 in. diam.

40.00 Set a q. Sec. Post from which
a Burr Oak 30 in. diam. bears S. 88 W. 12 links dist. &
a Linn 10 " " " N. 49 E. 20 " "

61.63 A Black Ash 10 in. diam.

80.00 Set a Post Corner to Sec. 10, 11, 14 & 15 from which
a Sycamore 36 in. diam. bears S. 88 E. 14 lks. dist. &
a W. Ash 20 " " " N. 87 W. 30 " "

Land & Timber same as before

East On Random between Sec. 11 & 14

19.75 An Elm 18 in. diam.

40.00 Set a Temporary q. Sec. Post

64.75 A Maple 36 in. diam.
 75.00 To Swamp
 80.27 Intersect the N+S line at Post.

West Corrected between Sec. 11 & 14
 40.13 Set a gr. Sec. Post at aver. dist. from which
 a Spruce 6 in. diam. bears N. 7 E. 21 links dist. &
 a Do 16 " " " S. 16 E. 47 " "
 80.27 To Sec. Corner
 Land & timber same as before

North Between Sec. 10 & 11
 19.70 A Hickory 16 in. diam.
 20.00 Enter Black Ash Swamp
 40.00 Set a gr. Sec. Post from which
 a Willow 18 in. diam. bears S. 49 E. 33 links dist. &
 a Black Ash 14 in. diam. bears N. 49 W. 4 lks. "
 65.40 An Elm 28 in. diam.
 80.00 Set a Post Corner to Sec. 2, 3, 10, 11 from which
 an Elm 30 in. diam. bears S. 75 E. 20 links dist. &
 an Ash 18 " " " N. 60 W. 30 "
 Land Black Ash swamp for 60 chains
 The Balance good land

East On Random between Sec. 2 & 11
 19.90 A Beech 15 in. diam.
 40.00 Set Temporary gr. Sec. Post
 62.67 An Elm 15 in. diam.
 80.40 Intersect the N+S line 52 links N. of Post.

West Corrected between Sec. 2 & 11
 40.20 Set a gr. Sec. Post at aver. dist. from which
 a Hickory 20 in. diam. bears S. 63 E. 5 links dist. &
 a Beech 12 " " " N. 24 W. 29 " "
 62.25 An Elm 30 in. diam.
 80.40 To Sec. Corner

97

T 30 N. R 14 E 2nd Mer. Indiana.

Land flat and wet. Timber. Beech. Ash
Elm, Syc., Hickory. &c. Undergrowth
Spice Water Buck &c.

North Between Sec. 2 & 3

28.33 A Hickory 16 in. diam.

40.00 Set a gr. Sec Post, from which
a Maple 6 in. diam. bears S. 40 E. 3.2 links dist. &
a Do 16 " " " N. 58 W. 30 " "

64.60 An Elm 36 " "

80.05 Intersect the North Boundary 170 links N.
of the Post.

Set Post Corner to Sec. 2 & 3 from which
a Red Oak 24 in. diam. bears S. 68 E. 28 links dist.
& a Syc. 6 " " " S. 44 W. 29 " "

Land & Timber same as before

May 8th 1822

North Between Sec. 33 & 34

24.00 A W. Oak 36 in. diam.

26.00 Crossed Crooked Run 500 links wide.

40.00 Set a gr. Sec Post, from which
a Beech 10 in. diam. bears N. 82 E. 45 links dist. &
a Hickory 12 " " " S. 82 W. 28 " "

58.03 A Beech 18 " "

80.00 Set a Post. Corner to Sec. 27. 28 33 & 34 from which
a Black Oak 10 in. diam. bears S. 43 E. 13 links dist. &
an Elm 8 " " " N. 46 W. 13 " "

The Land is good for 60 chains. The balance
is flat & wet. Timber. Beech. Ash. Sugar.
Elm. Hickory. Oak &c. Undergrowth Spice.

East On Random between Sec. 27 & 34

22.20 An Elm 15 in. diam.

40.00 Set a gr. Sec Post. (Temporary)

60.20 A Hickory 18 in. diam.

81 15 Intersect the N & S line 36 links North
of the Post.

West Corrected between Sec. 27 & 34

21, 10 A Beech 12 in. diam.

40, 58 Set a gr. Sec Post at aver. dist. from which
a Sugar 24 in. diam. bears N. 18 W. 22 links dist.
& a B. Walnut 4 in. diam. " S. 2 W. 39 " "

59, 65 A W. Ash 12 in. diam.

81. 15 To Sec. Corner

Land West $\frac{1}{2}$ level + West East $\frac{1}{2}$ good
Land timber &c same as before

North Between Sec. 27 & 28

20 77 A W. Ash 15 in. diam.

40, 00 Set a gr. Sec Post from which
a W. Ash 8 in. diam. bears S. 66 E. 11 links dist. &
a Sycamore 8 in. " " N. 61 W. 7 " "

57, 77 An Elm 12 in. diam.

58, 00 Enter Willow Swamp

63, 00 Leave the same

80, 00 Set a Post Corner to Sec. 21, 22, 27 & 28
from which

an Elm 18 in. diam. bears S. 24 E. 19 links dist. &
a Burr Oak 8 " " " N. 11 W. 5 " "

Land 2nd rate. Timber. Beech. Oak. Ash.
Hickory, &c. Undergrowth. Spice, &c.

East On Random between Sec. 22 & 27

20, 27 A Sugar 20 in. diam. bears

40, 00 Set Temporary gr. Sec. Post

61, 90 A Beech 12 in. diam.

81, 30 Intersect the N & S line 22 links North of Post

Land 2nd rate. Timber. Beech. Sugar.
W. & B. Ash. Hickory &c. Undergrowth
Ironwood & Spice.

West Connected between Sec. 22 + 27

19.70 A Lynn 30 in. diam.

40.65 Set a gr. Sec Post at aver. dist. from which
a Buck 20 in. diam. bears S 49 N. 23 links dist. &
a Do 20 " " " N. 47 E 41 " "

61.15 A W. Oak 24 in. diam.

81.30 To Sec Corner

North Between Sec. 21 + 22

20.75 A Buck 12 in. diam.

40.00 Set a gr. Sec Post. from which
a W. Ash 40 in. diam. bears S 64 N. 7 links dist. &
a Sugar 10 " " " S. 77 E. 16 " "

62.00 A Branch 15 links wide Course N. E.

63.32 A Hickory 13 in. diam.

79.00 A Brook 15 links wide. Course West.

80.00 Set a Post Corner to Sec. 15 16. 21 + 22 from which
a Burr Oak 6 in. diam. bears S 42 E. 5 links dist. &
a B. Ash 20 " " " N. 40 W. 35 " "
Land + Timber same as before

East On Random between Sec. 15 + 22

20.60 A Red Elm 15 in. diam.

30.00 Crossed Defiance Road

40.00 Set a gr. Sec. Post

55.00 A Brook 20 links wide. Course N. W.

59.84 A W. Ash 30 in. diam.

81.50 Intersect the N + S line 6 links South of Post.
Land + Timber same as before

West Connected between Sec. 15 + 22

40.75 Set a gr. Sec. Post. at aver. dist. from which
a W. Ash 36 in. diam. bears S 65 N. 24 links dist. &
a Buck 10 " " " N. 15 W. 9 " "

81.50 To Section Corner

May 10th 1822.

100

T 30. N. R. 14 E 2nd Mer. Indiana.

North Between Sec. 15 & 16

22.39 A W. Ash 24 in. diam.

33.00 A Brook 15 links wide. Course N. E.

40.00 Set a gr. Sec. Post from which
a Hickory 8 in. diam. bears S 35 W 22 lks. dist. &
an Hickory 15 " " " N. 63 E. 17 " "

55.00 A Brook 30 links wide. Course West.

61.19 An Elm 24 in. diam.

80.00 Set a Post Corner to Sec. 9. 10. 15 & 16 from which
a Red Oak 10 in. diam. bears N. 35 W. 30 links dist.
a Hickory 12 " " " S. 41 E. 21 " "
Land South $\frac{1}{2}$ good North $\frac{1}{2}$ wet
timber & same

East On Random between Sec. 10 & 15

20.39 A B. Ash 20 in. diam.

40.00 Set a Temporary gr. Sec. Post.

62.64 A Burr Oak 24 in. diam.

80.75 Intersect the N + S line 12 links S. of Post.
Land level & wet. Timber. W. & B. Ash,
Elm. Beech. Gynn. Hickory, Sugar. &c.
Undergrowth Spice. &c.

West Corrected between Sec. 10 & 15

18.35 A Gynn 10 in. diam.

40.37 Set a gr. Sec. Post at area. dist. from which
a Pecanore - in. diam. bears S 14 W 56 lks. dist. &
a B. Walnut 24 " " " N. 14 E. 34 " "

61.11 An Elm 30 in. diam.

80.75 To Sec. corner

North Between Sec. 9 & 10

19.95 A Burr Oak 50 in. diam.

40.00 Set a gr. Sec. Post. from which
a Sugar - in. diam. bears S. 76 E. 32 links dist. &
a Beech " " " N. 56 W. 27 " "

T 30 N. R 14 E 2nd Mer. Indiana. 101

61.25 A B Ash 20 in. diam.
 80.00 Set a Post Corner to Sec. 3. 4. 9. 40 from which
 a B. Ash 14 in. diam. bears S 72 E 11 links dist.
 Sa Do 12 " " " N 59 W 9 " "
 Land & timber same as before

Post On Random between Sec. 3 & 10
 19.40 An Elm 15 in. diam.
 40.00 Set a gp. Sec. Post (Temporary)
 59.55 A B. Ash 18 in. diam.
 66.00 Enter Swamp water moves West
 71.00 Leave the Swamp
 80.75 Intersect the N & S line 17 links North of Post.
 Land flat & Mt. Timber. Beech. B. Ash,
 Elm. Hickory, Oak, &c. Undergrowth, Spice
 P. Ash, &c. &c.,

Post Connected between Sec. 3 & 10
 20.40 A B. Ash 20 in. diam.
 40.37 Set a gp. Sec. Post at a river, dist. from which
 a Red Oak 10 in. diam. bears N 6 E 18 links dist.
 an Elm 20 " " " N 6 E 22 " "
 61.60 A Spruce 10 in. diam.
 80.75 To Section Corner.

North Between Sec. 3 & 4
 20.20 A B. Ash 20 in. diam.
 40.00 Set a gp. Sec. Post from which
 a Maple 10 in. diam. bears N 39 W 7 lks. dist.
 Sa Ash 12 " " " S 49 E 14 " "
 60.60 An Elm 30 in. diam.
 66.50 A Brook 12 links wide. Course N. E.
 80.78 Intersect the North Boundary 2 18 links
 West of the Post
 Set a Post Corner to Sec. 3 & 4 from which
 a Sugar 16 in. diam. bears S 77 W 61 lks. dist. &c.

a Beech 5 in. diam. bears S. 79 E. 30 lks. dist.
 Sand & Timber. same as last mile
 Saturday May 11th 1822

North Between Sec. 32 & 33

26. 76 A W. Oak 15 in. diam.
 40. 00 Set a gp. Sec Post from which
 a W. Oak 36 in. diam. bears S. 73 W. 44 links dist.
 a W. Ash 40 " " " S. 62 E. 41 " "
 50. 96 An Elm 8 in. diam.
 67. 00 Enter Swamp
 79. 57 Leave Do
 80. 00 Set a Post Corner to Sec. 28 29. 32 & 33
 from which
 a B. Ash 8 in. diam. bears N. 30 W. 3 lks. dist.
 an Ash in 19 " " " S. 70 E. 6 " "
 Sand South of Swamp 2nd rate. Timber
 W. Oak; Sugar. Ash, &c. Undergrowth
 Spice. P. Ash & Hawth.

East On Random between Sec. 28 & 33

21. 75 A Beech 15 in. diam.
 40. 00 Set Temporary gp. Sec Post
 51. 15 A Burr Oak 30 in. diam.
 80. 55 Intersect the N & S line 50 links North of Post.
 Sand 2nd rate Timber. W. & B. Ash, Elm,
 Hickory, Oak, Beech, &c. Undergrowth,
 Spice. & P. Ash &c. &c.

West Corrected between Sec. 28 & 33

19. 14 An Elm 15 in. diam.
 40. 27 Set a gp. Sec Post from which
 an Elm 20 in. diam. bears N. 15 E. 33 links dist.
 a Beech 16 " " " S. 53 E. 13 " "
 58. 54 A W. Ash 16 in. diam.
 80. 54 To Section Corner.

North Between Sec. 28 + 29

2. 00 Enter Swamp

21, 33 An Elm 10 in. diam.

36, 00 Leave the Swamp.

40, 00 Set a gp. Sec. Post from which
a B. Ash 12 in. diam. bears S 46 W. 7 links dist. &
an Elm 16 " " " N. 46 E. 11 " "

47, 00 Enter Swamp

60, 00 Leave same

63, 20 A B. Ash 20 in. diam.

80, 00 Set a Post for the Corner to Sec. 20, 21, 28 + 29
from which
a Maple 10 in. diam. bears N 70 W. 3 links dist. &
an Elm 8 " " " S. 79 E. 9 " "
Land Swampy. Timber. B. Ash. Elm,
Hickory. &c.

East On Random between Sec. 21 + 28

24, 51 A Hickory 15 in. diam.
40, 00 Set Temporary gp. Sec. Post.

59, 10 A Hickory 20 in. diam.

80, 80 Intersect the N + S line 13 links North of Post
Land level + Mt. Timber. Elm. Hickory,
B. Ash. &c.

West Corrected between Sec. 21 + 28

20, 20 An Elm 24 in. diam.

40, 40 Set a gp. Sec. Post from which
a Hickory 18 in. diam. bears N. 21 W. 33 links dist. &
an Elm 24 " " " S. 40 E. 50 " "

58, 80 A Beech 8 in. diam.

80, 80 To Sec. corner

North Between Sec. 20 + 21

22, 90 A Black Ash 24 in. diam.

40, 00 Set a gp. Sec. Post from which
a Beech 10 in. diam. bears S. 66 E. 15 links dist. &

T 30 N. R 14 E. 2nd Mer Indiana

a Beech 6 in. diam. bears N. 76 W. 4 links dist.
 62.30 A Lynn 40 in. diam.
 71.50 A Brook 10 links wide. Course East.
 80.00 Set a Post Corner to Sec. 16. 17 20 + 21
 from which
 an Ironwood 6 in. diam. bears S. 79 E. 42 lks. dist.
 & a Red Oak 16 " " " N. 66 W. 13 " "
 Land & Timber on the South 1/2 same as
 before. On the North 1/2 2nd rate. good land.
 Timber. Beech. W. Ash. Sugar. &c. &c.
 Undergrowth Spice &c.

East On Ransom between Sec. 16 + 21
 12.50 Crossed Defiance Road
 19.16 A W. Ash 40 in. diam.
 40.00 Set Temporary gr. Sec. Post.
 61.00 Crossed a Brook 10 links wide. Course S.
 61.50 An Elm 30 in. diam.
 63.00 Crossed Defiance Road.
 81.24 Intersect the N + S line 6 links South of Post.
 Land 2nd rate. Timber. Sugar. Beech.
 W. Ash. &c. Undergrowth Spice &c.

West Located between Sec. 16 + 21
 40.63 Set a gr. Sec. Post at aver. dist. from which
 an Elm 8 in. diam. bears S. 32 E. 30 links dist. &
 a Sugar 10 " " " N. 2 W. 13 " "
 81.24 To Section Corner
 May 12th 1823

North Between Sec. 16 + 17
 8.50 Crossed Defiance Road
 22.92 A Hickory 20 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Sycamore 18 in. diam. bears S. 70 E. 50 links dist. &
 an Elm 20 " " " N. 67 W. 21 " "

55.00 Enter Swamp

60.00 Leave Do

61.58 An Elm 15 in. diam.

80.00 Set a Post Corner to Sec. 8. q. 16 + 17 from which
a Cottonwood 40 in. diam. bears S. 68 E. 32 links dist. &
a W. Ash 10 " " " N. 53 W. 8 " "

Land & Timber South 1/2 same North 1/2 swampy
Timber. Elm. B. Ash. Hickory &c.

East On Random between Sec. 9 + 16

21.60 A Red Oak 30 in. diam.

40.00 Set a corner of the Post.

47.50 Enter Swamp.

75.00 Leave same

81.50 Intersect the N. & S. line 30 links North of Post.
Land & Timber same as last 1/2 mile.

West Corrected between Sec. 9 + 16

40.75 Set a q. Sec. Post at area. dist. from which
a Beech 24 in. diam. bears S. 50 W. 21 links dist. &
a Sycamore 24 in. " " N. 17 E. 38 " "

54.70 A Do 50 " diam.

81.50 To Sec. Corner

North Between Sec. 8 + 9

22.00 A Beech 12 in. diam.

40.00 Set a q. Sec. Post from which
a Lynn 10 in. diam. bears N. 62 E. 12 links dist. &
a W. Ash 12 " " " S. 62 W. 13 " "

61.54 A Lynn 12 in. diam.

80.00 Set Post Corner to Sec. 4. 5. 8. + 9 from which
a Maple 10 in. diam. bears S. 17 E. 14 links dist. &
a Do 15 " " " N. 12 W. 9 " "

Land & Timber same as before

East On Random between Sec. 4 + 9

T 30 N. R 14 E 3rd Mer. Indiana.

- 20.30 A Red Oak 20 in. diam.
 40.00 Set Temporary gr. Sec Post.
 59.75 An Elm 15 in. diam.
 81.08 Intersect the N + S line 15 links South of Post
 Land covered with water Timber Elm,
 B. Ash. Maple. &c.

- West Corrected between Sec. 4 + 9
 21.15 A Sycamore 15 in. diam.
 40.54 Set a gr. Sec Post at aver. dist. from which
 a B. Ash 8 in. diam. bears S 57° W 35 links dist &
 an Elm 15 " " " N. 2° W. 23 " "
 60.28 A B Ash 18 in. diam.
 81.08 No Sec. Corner.

- North Between Sec. 4 + 5
 19.75 A Linn. 12 in. diam.
 40.00 Set a gr. Sec Post, from which
 an Elm 24 in. diam. bears N 60° E 9 links dist &
 a Sycamore 50 in. " " S 45° W. 11 " "
 58.50 A Linn 18 " diam.
 79.98 Intersect the North Boundary 3.26 links West
 of the Post.
 Set Post Corner to Sec. 4 + 5 &c.

- North Between Sec. 31 + 32
 20.04 A W. Ash 20 in. diam.
 40.00 Set a gr. Sec Post from which
 a Beech 6 in. diam. bears N 55° W. 9 links dist &
 a Linn 15 " " " S 35° E. 7 " "
 60.15 A Sycamore 50 in. diam.
 80.00 Set a Post Corner to Sec. 29.30 31 + 32 from which
 an Elm 10 in. diam. bears S 60° E 24 links dist &
 a Dr 15 " " " N. 42° W. 16 " "
 Land 2nd rate. some slashes. Timber, Beech

107

T. 30 N. R. 14 E. 2nd Mer. Indiana.

Sugar. B. & W. Ash, Hickory, Linn. Red &
W. Oak &c. Undergrowth Spice & P. Ash.

East On Random between Sec. 29. & 32

9.50 A Brook 25 links wide. Course N.W.

20.00 An Elm 12 in. diam.

40.00 Set a q. Sec Post - (Temp. 2.)

60.50 A Beech 30 in. diam.

75.00 Enter Swamp

80.00 Leave same

80.45 Intersect the N & S line 39 links N. of the Post
Land & Timber same as before

West Corrected between Sec. 29 & 32

40.22 Set a q. Sec Post at aver. dist. from which
a B. Ash 18 in. diam. bears S. 32° W. 6 links dist. &
a Sugar 15 " " " N. 59° E. 26 " "

61.95 A Linn 10 " diam.

80.45 To Sec. Corner.

West Between Sec. 30 & 31

20.69 A Hickory 30 in. diam.

33.00 A Brook 20 links wide. Course North.

40.00 Set a q. Sec Post from which

a B. Ash 18 in. diam. bears S. 17° E. 51 links dist. &

a Beech 18 " " " N. 18° W. 17 " "

60.75 A Dr 20 " "

87.35 Intersect the West Boundary 1.45 links South
of the Post.

Set a Post Corner to Sec. 30 & 31 from which
a Beech 10 in. diam. bears N. 55° E. 52 links dist. &
a W. Oak 12 in. " " S. 35° E. 58 " "
Land & Timber same as before

North Between Sec. 29. & 30

15.50 A Brook 25 links wide. Course N.W.

T 30 N. R 14 E. 2nd Mer. Indiana

- 24.94 A Beech 24 in. diam.
 40.00 Set a gr. Sec Post from which
 a Red Oak 30 in. diam. bears S 50 E 8 lks dist.
 an Elm 6 " " " N. 35 W. 28 " "
 68.50 A Hickory 20 in. diam.
 80.00 Set a Post Corner to Sec. 19, 20, 29 + 30
 from which a
 a Sugar 8 in. diam. bears N. 5 W. 9 links dist.
 a W. Oak 8 " " " S. 18 E. 30 " "
 Land & Timber same as before.

- West Between Sec. 19 + 30
 20.25 A B. Oak 30 in. diam.
 40.00 Set a gr. Sec Post from which
 a Sugar 12 in. diam. bears N. 23 W. 13 links dist.
 a Linn 28 " " " S. 26 E. 22 " "
 57.50 A Brook 25 links wide. Course S.
 60.05 A Linn 20 in. diam.
 86.00 Intersect the West Boundary 1.57 links South
 of the Post.
 Set a Post Corner to Sec. 19 + 30 from which
 a Beech 20 in. diam. bears N. 4 E. 12 lks dist.
 a Do 20 " " " S. 55 E. 35 " "
 Land & Timber same as last mile.

- East On Random between Sec. 20 + 29
 20.62 An Elm 15 in. diam.
 23.00 Enter Swamp
 28.00 Leave same
 40.00 Set Temporary gr. Sec. Post.
 60.14 A Linn 24 in. diam.
 79.89 Intersect the N + S line at Post.
 Land & Timber same as before.

- West Corrected between Sec. 20 + 21
 39.95 Set a gr. Sec. Post at over. dist. from which

T 30 N. R 14 E 2nd Mer. Indiana. 109

a Beech 20 in. diam. bears S. 24 N. 21 links dist.
 to W. Ash 12 " " " N. 17 W. 11 " "
 79.89 To the corner

North Between Sec. 19 + 20

20.40 An Elm 12 in. diam.
 20.50 A Brook 30 links wide. Course S. W.
 27.00 A Do 15 " " " S W.
 40.00 Set a q. Sec. Post from which
 a B. Ash 6 in. diam. bears S. 56 E. 30 links dist.
 a Hickory 12 in. " " N. 71 W. 15 " "
 60.18 An Elm 24 in. diam.
 80.00 Set a Post Corner to Sec. 17. 18. 19 + 20 from which
 a Linn 8 in. diam. bears S. 25 W. 11 links dist.
 a W. Ash 10 " " " N. 45 E. 19 " "
 Land level + slashy. Timber, B. + W. Ash,
 Elm, Hickory, Red + B. Oak, Linn, Sugar,
 Sycamore &c. Undergrowth, Spice, P. Ash.

East On Random between Sec. 17 + 20

20.25 A Hickory 20 in. diam.
 40.00 Set Temporary q. Sec. Post.
 61.91 A Burr Oak 12 in. diam.
 70.90 Intersect the N + S line 27 links North of Post.
 Land + Timber same as last mile. but W. b.

West Corrected between Sec. 17 + 20

18.25 A B. Ash 18 in. diam.
 39.95 Set a q. Sec. Post at aver. dist. from which
 a Beech 10 in. diam. bears N. 51 E. 26 links dist.
 a Do 14 " " " S. 51 W. 12 " "
 54.50 A Sugar 12 in. diam.
 70.90 To the corner.

West Between Sec. 18 + 19

20.25 A Linn 16 in. diam.

T 30 N. R 14 E. 2nd Mer. Indian

40.00 Set a gr. Sec. Post from which
 a Beech 18 in. diam. bears N. 33 E. 29 links dis. 38
 a Sugar 10 " " " S. 60 W. 12 " "

54.00 A Creek 60 links wide. Course N. W.

68.10 A Maple 24 in. diam.

83.12 Intersect the West Boundary 1.77 links South
 of the Post.
 Set a Post Corner to Sec. 18 & 19 from which
 a Beech 5 in. diam. bears N 9 E 25 links dis. 38
 a Hickory 24 in. " " S 25 E 35 " "
 Land & Timber same as before.
 2nd note

North Between Sec. 17 & 18

20.00 A Beech 18 in. diam.

40.00 Set a gr. Sec Post from which
 a Hickory 16 in. diam. bears N. 70 E. 35 links dis. 38
 a Beech 20 " " " N. 65 W. 18 " "

63.50 To St. Defiance Road. SE.

66.00 A Beech 18 in. diam.

77.00 A Brook 25 links wide. Course N. W.

80.00 Set a Post Corner to Sec. 7, 8, 17 & 18 from which
 an Elm 14 in. diam. bears S 43 W 10 links dis. 38
 a Do 10 " " " S 52 E 25 " "
 Land & Timber same as before.

West Between Sec. 7 & 18

1.00 A Creek 100 links wide. Course N. W.

29.29 A Burr Oak 15 in. diam.

34.00 To Defiance Road. SE.

40.00 Set a gr. Sec Post from which
 a W. Oak 20 in. diam. bears N. 73 E. 30 links dis. 38
 a Red Elm 8 " " " S. 73 W. 11 " "

41.00 A Branch 10 links wide Course North

53.00 A Do 5 " " " SE

60.94 A Beech 30 in. diam.

111

T 30 N. R 14 E 2nd Mer. Indians.

83.50 Intersect the West Boundary of 174 South of the Post.

Set a Post Corner to Sec? 7 + 18 from which
a Sugar 10 in. diam. bears N. 43 E. 16 links dist. &
a Do 12 " " " S. 60 E. 37 " "

Land high & Dry. 2nd rate. Timber. Buck
Sugar. W. Ash. Red Oak, & W Oak.

East On Random between Sec? 8 + 17

20.00 Cottonwood 30 in. diam.?

34.00 To a Swamp N.W. + S.E.

40.00 Set Temporary gr. Sec Post,

55.00 Left the same.

79.94 Intersect the N + S line 28 links North of Post.

Land level & Swampy. Timber. Elm. W. Ash
B Ash. Maple. Hickory, &c.

West Corrected between Sec? 8 + 17

39.97 Set a gr. Sec Post at aver. dist. from which
a Maple 20 in. diam. bears N. 67 W. 24 links dist.
& a Do 4 " " " S. 45 E. 11 " "

60.44 A Sycamore 50 in. diam.?

79.94 To Section Corner

North Between Sec? 7 + 8

10.00 Crossed a Swamp Brook 40 links wide, West

21.41 An Elm 24 in. diam.

35.00 Enter Swamp

40.00 Set a gr. Sec Post. from which
a Sycamore 24 in. diam. bears S. 70 W. 10 links dist. &
a B. Ash 8 " " " N. 43 E. 16 " "

50.00 Left the Swamp

61.04 A Poplar 40 in. diam.?

80.00 Set a Post Corner to Sec? 5. 6. 7 + 8 from which
a Red Oak 8 in. diam. bears S. 75 E. 9 links dist. &
an Elm 24 " " " N. 34 W. 7 " "

T 30 A. R 14 E 2nd Mer. Indian

	Land South $\frac{1}{2}$ same as before. North $\frac{1}{2}$ good 2 nd rate. Timber. Beech. Sugar. W. Ash. B. Walnut. Re. Elm. Lymn & Spice.
East	On Random between Sec. 5 & 8
40.00	Set Temporary gr. Sec Post.
60.00	A B. Oak 24 in. diam.
79.83	Intersect the N & S line 29 links North of Post. Land. West $\frac{1}{2}$ same as last North $\frac{1}{2}$. East $\frac{1}{2}$ Swampy. Timber. Elm. B. Ash. & Maple.
West	Corrected between Sec. 5 & 8
19.83	An Elm 24 in. diam.
39.91	Set gr. Sec Post at area dist. from which a Red Oak 28 in. diam. bears N. 30 W. 4 links dist. & an Ironwood 6 " " " N. 67 E. 34 " "
79.83	To Sec. Corner
West	Between Sec. 6 & 7
21.50	A Beech 18 in. diam.
40.00	Set a gr. Sec Post from which a Sycamore 24 in. diam. bears N. 3 E. 47 lks. dist. & a B. Walnut 30 " " " S. 3 W. 25 " "
59.75	A Beech 20 in. diam.
82.15	Intersect the West Boundary 23.3 links South of the Post. Set a Post Corner to Sec. 6 & 7 from which a Beech 12 in. diam. bears N. 25 E. 29 links dist. & a Poplar 30 " " " S. 18 E. 39 " "
	Land & Timber same as before.
North	Between Sec. 5 & 6
28.00	A Poplar 28 in. diam.
40.00	Set a gr. Sec. Post from which a Hickory 40 in. diam. bears S. 42 E. 3.5 links dist. & a Beech 10 " " " N. 34 W. 47 " "

113

T 30 N. R 14 E Twp. Indiana.

43.50 A Brook 25 links wide, Course W
 60.00 A Beech 12 in! diam.
 78.76 Intersect the North Boundary 275 links West.
 of the Post.
 Set Post Corner to Sec? 5+6 from which
 a Burr Oak 10 in! diam. bears S. 70 E 29 links dist.
 a Sycamore 50 " " " S. 13 W. 18 " "
 Land South 1/2 same. North 1/2 W. Timber Elm
 B. & W. Ash. Maple. Hickory. &c.
 Undergrowth Spice.

Meanders of the Right Bank of the
 Maumee River.

Beginning at Post on the North Boundary
 of Town 30 North Range 14 East Thence
 up Stream

Courses	Distances	Remarks
S 37 W	7.50	At 0.00 A Run 10 links wide from South
S 62 W	7.50	
S 80 W	5.00	
N 85 W	16.00	
S 74 W	16.00	
S 88 W	16.66	
S 47 W	3.12	Intersect the Range line West Bound- -ary of Town Town 30 N R 14 E.

Surveyed in 1822
 by James Riley.
 Dep. Surveyor.

Meanders of the Left Bank of Maumee
 River. Beginning at Post on the
 Township line North Boundary of Sec 6
 Thence up Stream

S 53 W 5.00
 S 79 W 10.00

114

T 30 N. R 14 E. 2nd Mer. Indiana

S 89 1/2 W 5.00

N 88 W 3.50

S 82 W 6.50

S 77 1/2 W 10.50

N 89 1/2 W 8.00

S 82 1/2 W 4.50

S 73 1/2 W 6.50

S 71 1/2 W 2.89

To Meander Post. On Range line
between Ranges 13 & 14 E.Surveyed in 1829
by William Brookfield
Dep. Surveyor

I Certify that the foregoing transcripts
of the Field Notes of Township No 30
North. Range No 14 East of the 2nd Mer. in
the State of Indiana. has been compared
with the original Notes in this Office
and found to be Correct.

Surveyor General's Office

Cincinnati Jan^y 8th 1845William Johnston
Svr. Genl.

Comp.